

Approved For Release 2008/01/10 : CIA-RDP80T00246A000700550001-3

USAF review completed.

ARMY review completed

Page Denied

| C-O-N-F-I-D-E-N-T-I-A-L | | SEE BOTTOM OF PAGE FOR SPECIAL CONTROLS, IF ANY | |
|--|-------|--|------|
| INFORMATION REPORT | | This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law. | |
| PREPARED AND DISSEMINATED BY CENTRAL INTELLIGENCE AGENCY | | | |
| COUNTRY Hungary | | | |
| SUBJECT Staff and Organizational Breakdown of [] Artillery Regiment and Ammunition Dump, Supply Depot, Range, and Test Area [] | | DATE DISTRIBUTED 19 Apr 57 | |
| | | NO. OF PAGES 3 | |
| | | NO. C 25X1 | |
| | | SUPPLEMENT TO REPORT # | |
| THIS IS UNEVALUATED INFORMATION | | | |
| <p>This report is the result of a joint collection effort by the Air Force, the Army and CIA and is disseminated in accordance with the provisions of NSCID #7.</p> <p>25X1 25X1 25X1 25X1 25X1 25X1 25X1</p> | | | |
| 1. [] artillery regiment in Taborfalva. [] | | | |
| 2. The [] Artillery Regiment was subordinate to the Kecskemet /4654N 1941E / Rifle Division [] located in a kaserne at Taborfalva. This name is not listed in the gazetteer but is noted on the map as Loter Tabor approximately midway between Lajosmizse 4701N 1932E and Orkeny 4707N 1926E. See on file notice 3. | | | |
| 3. The artillery ammunition dump for the regiment [see on file notice 4] was located in a wooded area northwest of Orkeny and was heavily guarded and enclosed by a high barbed wire fence. The road leading into the area was off limits to the local populace. | | | |
| 4. The artillery range used by the regiment [see on file notice 4] was located in the vicinity of Gyon /4710N 1919E / along a main highway. The range covered a huge area and was used for all types of artillery firing problems. | | | |
| 5. A supply area [see on file notice 3] consisting of several buildings was used for the storage of clothing and equipment and also as a stable for horses. | | | |
| 6. All newly arrived artillery pieces were tested in a wooded area [see on file notice 3] located in the vicinity of the kaserne. | | | |
| 7. [] [] All dimensions are approximate. The numbers listed below correspond to those in the sketch; on file notice 2. | | | |
| (1) "L" shaped building, two stories high, approximately 50 x 30 x 20m. Building occupied by the regimental headquarters | | | |
| USAF review completed. | | | |
| C-O-N-F-I-D-E-N-T-I-A-L | | | |
| DISTRIBUTION | STATE | ARMY | NAVY |
| | | | |

EX-100

25X1

25X1

C-O-N-F-I-D-E-N-T-I-A-L

Page 2

and various staff and administrative sections.

- (2) Billets, four stories high, 90 x 15m. Used as billets for the entire regiment.
- (3) Warehouse, ground floor only, 20 x 8m. Contained clothing and field equipment.
- (4) Dispensary and hospital, two stories high, 40 x 15m.
- (5) Messhall, "L" shaped building, ground floor only. Used as enlisted and officer mess.
- (6) POL storage area, 15 x 15m, enclosed by a two meter high barbed wire fence containing all types of products in 50 gallon drums.
- (7) Subcaliber artillery range, 100 x 12m.
- (8) "L" shaped, shed type building, 50 x 50 x 15m. Used as gun shed and vehicle park.
- (9) Ammunition Bunker, contained various types of small arms ammunition.
- (10) Gas Chamber, ground floor only, 15 x 15m.
- (11) Motor pool and repair shop, ground floor only, garage type building 20 x 10m and enclosed by a two meter high barbed wire fence.
- (12) Shop building, ground floor only, 30 x 15m. Used by the ordnance repair section for the performance of major repairs on artillery pieces.
- (13) Gun shed, 25 x 15m.
- (14) Headquarters building, two stories high, 20 x 15m. Occupied by the two battalion headquarters and various sections.
- (15) NCO School, two stories high, 100 x 100 m. The building contained various types of classrooms, lecture halls and also housed the kaserne post exchange.
- (16) Water pump station.
- (17) Gate guard and main entrance.
- (18) Barbed wire fence encircling the kaserne area -- two meters high.

8. The following persons were assigned to the kaserne

a. FNU Gara

1. Rank: Major, Artillery.


C-O-N-F-I-D-E-N-T-I-A-L

25X1

C-O-N-F-I-D-E-N-T-I-A-L
Page 3




25X1




b. FNU Tar


1. Rank: Major. Was demoted from Lt Colonel but date or reason unknown.

25X1



25X1

On file  are the following attachments, all classified CONFIDENTIAL:

1. Staff and organizational breakdown chart of Artillery Regiment 
2. Descriptive sketch of Kaserne.
3. Location overlay of Kaserne, supply area and artillery testing area.
4. Location overlay of artillery ammunition dump and artillery range.]

25X1

- end -


C-O-N-F-I-D-E-N-T-I-A-L

Approved For Release 2008/01/10 : CIA-RDP80T00246A000700550001-3

Page Denied

Confidential


TICKET DIVISION



INCL #1

ARTILLERY TOWER

Confidential






Confidential

INCL #2


Confidential

25X1

LOCATION OVERLAY OF ARTY. KASERNE,
SUPPLY AREA AND ARTY. TESTING RANGE
IN TABORFALVA




HUNGARY 1:50,000
LAJOSMIZSE Sheet 5163 W




Confidential

INCL #3

Confidential
LOCATION OVERLAY OF AMMO DUMP
AND ARTILLERY RANGE



HUNGARY 1:50,000
LITHOGRAPH Sheet 5163 W



Confidential

INCL #4